


"The Clinical Advantage"™

These products are available through **JRT** Associates 800-221-0111

BIODEX ULTRASOUND TABLES


Ergonomic • Versatile • Essential



These products are available through **JRT** Associates 800-221-0111

JRT Associates
5 Nepperhan Avenue,
Suite 2B
Elmsford, NY 10523
800-221-0111

Biodex Ultrasound Table Features




Ergonomic Design

Helps prevent musculoskeletal injuries when scanning. The table design allows the sonographer to get close for optimal image without compromising comfort to the shoulder, arm or hand.



Simple Wheelchair Transfer

All Biodex Ultrasound Tables can adjust down to 23" to accommodate wheelchair transfers and those with ambulatory difficulties. The table adjusts... not you, not the patient.



Pivoting Cushion with Dual Purpose

The swing-out Cardiac Scanning Cutout is a pivoting cushion that doubles as an armrest.



Vascular Scanning Arm Board

For the gamut of upper extremity vascular procedures, the optional arm board mounts to either side of the table.



Full control in the palm of your hand


The Hand-Held Controller activates height, Trendelenberg motions, Fowler back and auto level motions.



Hands busy? Use Foot Control

The Foot Controller activates height, Trendelenberg motions, and Fowler back.

Features - Standard and Optional



Central Floor Locking System

The Central Floor Locking System secures table position and is accessible from either side of the table.



Fully Equipped for OB/GYN Procedures

Retractable Stirrups expand function of the table to include endovaginal, hysterosonography, testicular, OB and more. Bottom cushion of the table drops out of the way for unobstructed access.



Safety and Convenience

Fold-Away Side Rails provide added safety without getting in the way. When stowed, sonographer has total access for correct scanning posture.




Motorized Control

The motorized Fowler back is infinitely adjustable to 80° via hand or foot controller.



Paper Dispenser

Holds a roll of hygienic table paper and includes a cutter strap.



IV Pole

Easily attaches for quick convenience.

Full equipped for OB/GYN, general ultrasound and echocardiography.

Accommodates
BARIATRIC
Patients



All motorized tables are ETL product listed to the UL-60601-1 Medical Electrical Equipment Safety Standard.

JRT Associates

5 Nepperhan Avenue, Suite 2B
Elmsford, NY 10523
800-221-0111

Combines the premium features of our popular Ultra Pro and Echo Pro tables to meet your every need

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Allows seated or standing work positions
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties.
- Motorized height, Fowler back, Trendelenburg and auto level adjustment
- Swing-out cardiac scanning cutout doubles as armrest
- Adjustable sonographer cutout for maximum patient access and comfortable scanning positioning
- Vascular scanning arm board mounts to either side of table



Cardiac scanning cutout features a patented swing-out cushion that doubles as an armrest. Vascular scanning arm board can be mounted to either side of the table.

The Sound Pro Combination Table combines the imaging features of both the Ultra Pro and Echo Pro tables. Fully equipped for OB/GYN, general ultrasound and echocardiography, this extra wide table is ergonomically designed for both patient and sonographer.


The fold away side rails and adjustable sonographer cutout cushion allow comfortable shoulder, arm and hand positions when scanning. There are no barriers between sonographer and patient, allowing correct scanning posture to prevent musculoskeletal injury. The cardiac scanning cutout provides open access to the patient's left thorax area for an unobstructed apical approach. The motorized Fowler back is infinitely adjustable to 80° via hand or foot controller.

The Sound Pro Combination Table is so accommodating, it reduces the total amount of time required to achieve a quality image. Stress patients are off the treadmill and quickly onto the table in imaging position. Patient comfort is assured even through lengthy procedures by cushioned arm supports, a thick mattress and a multitude of comfort-driven design details. The unique swing-out cardiac scanning cutout cushion doubles as an armrest, while the leg section drops down to 40° for patients with circulatory issues.

See Specifications and Models on page 14.

SUITABLE PROCEDURES:

- | | |
|------------------------------|----------------------------|
| • Abdomen | • Renal |
| • Aorta | • Pelvis |
| • Endovaginal | • OB |
| • Hysterosonography | • Thyroid |
| • Testicular | • Breast |
| • Musculoskeletal | • Carotid |
| • DVT/Lower Extremity Venous | • Lower Extremity Arterial |
| • Venous Reflux | • Upper Extremity Venous |
| • Upper Extremity Arterial | • Renal Artery |
| • Renal Transplant | • Abdominal Doppler |
| • SMA | • Echocardiography |
| • Stress Echo | • Transesophageal Echo |




More than 80% of sonographers are scanning in pain and 20% of these professionals eventually experience a career-ending injury. On average, within five years of entering the profession, sonographers experience pain while scanning.

This product is available through **JRT Associates** 800-221-0111

Accommodates echocardiography procedures.

Accommodates
BARIATRIC
Patients



All motorized tables are ETL product listed to the UL-60601-1 Medical Electrical Equipment Safety Standard.

JRT Associates

5 Nepperhan Avenue, Suite 2B
Elmsford, NY 10523
800-221-0111

Our premium echocardiography table features easy positioning and advanced ergonomic engineering

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Allows seated or standing work positions
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Motorized height, Fowler back, Trendelenburg and auto level adjustment
- Swing-out cardiac scanning cutout doubles as armrest
- Adjustable sonographer cutout for maximum patient access and comfortable scanning positioning
- Vascular scanning arm board mounts to either side of table



Cardiac Scanning Cutout with pivoting cushion doubles as an armrest. Adjustable Sonographer Cutout drops down or folds up for maximum patient access.

There are no barriers between sonographer and patient on the Echo Pro table, allowing correct scanning posture to prevent musculoskeletal injury. The cardiac scanning cutout provides open access to the patient's left thorax area for an unobstructed apical approach. The motorized Fowler back is infinitely adjustable to 80° via hand or foot controller.

The Echo Pro Combination Table is so accommodating it reduces the total amount of time required to achieve a quality image. Patient comfort is assured even through lengthy procedures by cushioned arm supports, a thick mattress and a unique swing-out cardiac scanning cutout cushion that doubles as an armrest.


See Specifications and Models on page 14.

SUITABLE PROCEDURES:

- | | |
|------------------------------|----------------------------|
| • Abdomen | • Renal |
| • Aorta | • Pelvis |
| • Thyroid | • Testicular |
| • Breast | • Musculoskeletal |
| • Carotid | • DVT/Lower Extremity |
| • Venous Reflux* | • Venous* |
| • Lower Extremity Arterial | • Upper Extremity Venous** |
| • Upper Extremity Arterial** | • Renal Artery |
| • Renal Transplant | • Abdominal Doppler |
| • SMA | • Echocardiography |
| • Stress Echo | • Transesophageal Echo |

* Requires optional foot support

** Requires optional vascular arm board




More than 80% of sonographers are scanning in pain and 20% of these professionals eventually experience a career-ending injury. On average, within five years of entering the profession, sonographers experience pain while scanning.

This product is available through **JRT** Associates 800-221-0111

Accommodates echocardiography procedures...at an economical price.

Accommodates
BARIATRIC
Patients



All motorized tables are ETL product listed to the UL-60601-1 Medical Electrical Equipment Safety Standard.

JRT Associates

5 Nepperhan Avenue,
Suite 2B

Elmsford, NY 10523

800-221-0111

An economical table with full patient access to achieve quality imaging

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Allows seated or standing work positions
- Extra wide top with 500-lb patient capacity, suitable for bariatric patients
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Motorized height, Fowler back
- Swing-out cardiac scanning cutout doubles as armrest
- Adjustable sonographer cutout for maximum patient access and comfortable scanning positioning
- Vascular scanning arm board mounts to either side of table



Fowler back motor controlled with infinite adjustment through 80°.

Similar to the Echo Pro with feature and function, the Econo Echocardiography Table is offered without Trendelenburg positions or central locking casters to deliver a lower cost alternative. There are no barriers between sonographer and patient on the Econo Echocardiography Table, allowing correct scanning posture to prevent musculoskeletal injury. The cardiac scanning cutout provides open access to the patient's left thorax area for an unobstructed apical approach. The motorized Fowler back is infinitely adjustable to 80°.


The Econo Echocardiography Table is so accommodating it reduces the total amount of time required to achieve a quality image. Patient comfort is assured even through lengthy procedures by cushioned arm supports, a thick mattress and a unique swing-out cardiac scanning cutout cushion that doubles as an armrest.

See Specifications and Models on page 14.

SUITABLE PROCEDURES:

- | | |
|-----------------------------|---------------------------|
| • Abdomen | • Renal |
| • Aorta | • Pelvis |
| • Thyroid | • Testicular |
| • Breast | • Musculoskeletal |
| • Carotid | • Upper Extremity Venous* |
| • Upper Extremity Arterial* | • Renal Artery |
| • Renal Transplant | • Abdominal Doppler |
| • SMA | • Echocardiography |
| • Stress Echo | • Transesophageal Echo |

** Requires optional vascular arm board*



More than 80% of sonographers are scanning in pain and 20% of these professionals eventually experience a career-ending injury. On average, within five years of entering the profession, sonographers experience pain while scanning.

This product is available through **JRT Associates** 800-221-0111

Ergonomically designed to suit both patient and sonographer.

Accommodates
BARIATRIC
Patients



All motorized tables are ETL product listed to the UL-60601-1 Medical Electrical Equipment Safety Standard.

JRT Associates

5 Nepperhan Avenue, Suite 2B
Elmsford, NY 10523
800-221-0111

Sonographer-friendly design that maximizes patient comfort

- Ergonomic design helps prevent musculoskeletal injuries comfortable shoulder, arm and hand positions when scanning
- Allows seated or standing work positions
- 500-lb patient capacity, suitable for bariatric patients
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties.
- Motorized height, Fowler back, Trendelenburg and auto level adjustment
- Hand controller actuates table positions
- Retractable stirrups extend extra long for larger patients
- Optional scanning arm board mounts to either side of table
- Optional side rails fold out of the way to allow unobstructed patient access



Central floor locking system secures table position and is accessible from either side of the table. Leg section drops down for access to retractable stirrups (optional).

The Ultra Pro Ultrasound Table is a dedicated table for all general ultrasound procedures including OB/GYN. Choose from an assortment of table options to customize the table to suit your department needs, the table is ergonomically designed to suit both patient and sonographer. The table is so accommodating, it reduces the total amount of time required to achieve a quality image.

There are no barriers between sonographer and patient, allowing correct scanning posture to prevent musculoskeletal injury. The open frame design allows sonographers to get closer to the patient, especially useful for carotid imaging or long leg arterial scanning. The motorized Fowler back is infinitely adjustable up to 80° via hand or optional foot controller. The leg section drops down to 40° for patients with circulatory issues and 80° for stirrup access. Five-inch locking swivel casters and a central locking system, accessible from either side of the table, secure table position.


See Specifications and Models on page 15.

SUITABLE PROCEDURES:

- | | |
|------------------------------|----------------------------|
| • Abdomen | • Renal |
| • Aorta | • Pelvis |
| • Endovaginal** | • OB |
| • Hysterosonography | • Thyroid |
| • Testicular | • Breast |
| • Musculoskeletal | • Carotid |
| • DVT/Lower Extremity Venous | • Lower Extremity Arterial |
| • Upper Extremity Arterial* | • Renal Artery |
| • Renal Transplant | • Abdominal Doppler |
| • SMA | • Transesophageal Echo |

*Requires optional vascular arm board.

**Requires optional stirrups.



More than 80% of sonographers are scanning in pain and 20% of these professionals eventually experience a career-ending injury. On average, within five years of entering the profession, sonographers experience pain while scanning.

This product is available through **JRT Associates** 800-221-0111

Sonographer-friendly design...at an economical price.

Accommodates
BARIATRIC
Patients



All motorized tables are ETL product listed to the UL-60601-1 Medical Electrical Equipment Safety Standard.

JRT Associates

5 Nepperhan Avenue, Suite 2B

Elmsford, NY 10523

800-221-0111

An economical solution for ultrasound procedures

- Ergonomic design helps prevent musculoskeletal injuries – comfortable shoulder, arm and hand positions when scanning
- Allows seated or standing work positions
- 500-lb patient capacity, suitable for bariatric patients
- Height range down to 23" accommodates wheelchair transfers and those with ambulatory difficulties
- Motorized height and Fowler back
- Hand controller activates table positions
- Retractable stirrups extend extra long for larger patients
- Optional scanning arm board mounts to either side of table
- Optional side rails fold out of the way to allow unobstructed patient access



Leg section drops down for access to retractable stirrups (optional).

Similar to the Ultra Pro with feature and function, the Econo Ultrasound Table is offered without Trendelenburg positions or central locking casters to deliver a lower cost alternative. The Econo Ultrasound Table is a dedicated table for all general ultrasound procedures including OB/GYN. Choose from an assortment of table options to customize the table to suit your department needs, the table is ergonomically designed to suit both patient and sonographer. The table is so accommodating, it reduces the total amount of time required to achieve a quality image.

There are no barriers between sonographer and patient, allowing correct scanning posture to prevent musculoskeletal injury. The open frame design allows sonographers to get closer to the patient, especially useful for carotid imaging or long leg arterial scanning. The motorized Fowler back is infinitely adjustable up to 80° via hand controller. The leg section drops down to 40° for patients with circulatory issues and 80° for stirrup access.


See Specifications and Models on page 15.

SUITABLE PROCEDURES:

- | | |
|------------------------------|----------------------------|
| • Abdomen | • Renal |
| • Aorta | • Pelvis |
| • Endovaginal** | • OB |
| • Hysterosonography | • Thyroid |
| • Testicular | • Breast |
| • Musculoskeletal | • Carotid |
| • DVT/Lower Extremity Venous | • Lower Extremity Arterial |
| • Upper Extremity Arterial* | • Renal Artery |
| • Renal Transplant | • Abdominal Doppler |
| • SMA | • Transesophageal Echo |

**Requires optional vascular arm board.*

***Requires optional stirrups.*



More than 80% of sonographers are scanning in pain and 20% of these professionals eventually experience a career-ending injury. On average, within five years of entering the profession, sonographers experience pain while scanning.

This product is available through **JRT Associates** 800-221-0111

Compare the Ultrasound tables from Biodex

Sound Pro Combination Table



SPECIFICATIONS:

Dimensions: 71" l x 30" w (180.3 x 76.2 cm);
35" w (88.9 cm) with side rails
Drop-Down Leg Section: 12.6" l (32 cm)
Height Adjustable: 23" to 39" (58.4 to 99 cm)

Tabletop: Three primary sections: torso section features sonographer and patient cutouts with Fowler back positioning; center section remains fixed and leg section drops down to 40° and 80° for stirrup access

Cardiac Scanning Cutout: with pivoting cushion that doubles as an armrest

Adjustable Sonographer Cutout: drops down or folds up for maximum access to the patient

Mattress: Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; foam rubber pad covered with seamless, durable Naugahyde®
Upholstery Color: Graphite

Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)

Trendelenburg: 0° to ±15°

Fowler Back: 0° to 80° infinitely adjustable

Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler back and auto level motions

Foot Control: Activates height, Trendelenburg motions and Fowler back

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor locking system

Patient Restraints: One body strap

Finish: Powder coat

Patient Capacity: 500 lb (227 kg); weight tested to four times the patient load rating.

Weight: 350 lb (159 kg)

Power: 115 VAC or 230 VAC

Warranty: Two years

Certifications: ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1-M90 and EN 60601-1 standards.



058-710 Table, Combination, Sound Pro™, 115 VAC
Includes: hand and foot controllers, folding side rails, vascular scanning arm board, retractable stirrups, IV pole and paper dispenser.

058-715 Table, Combination, Sound Pro™, 230 VAC
Includes: hand and foot controllers, folding side rails, vascular scanning arm board, retractable stirrups, IV pole and paper dispenser.

Replacement:

056-612 Table Paper, Hygienic, 12 rolls
18" w x 225' l (46 cm x 69 m)

Echo Pro Echocardiography Table



SPECIFICATIONS:

Dimensions: 73" l x 30" w (185.4 x 76.2 cm);
35" w (88.9 cm) with optional side rails
Height Adjustable: 23" to 39" (58.4 to 99 cm)

Tabletop: Two primary sections: torso section: features sonographer and patient cutouts with Fowler back positioning, and lower body section remains fixed

Cardiac Scanning Cutout: with pivoting cushion that doubles as an armrest

Adjustable Sonographer Cutout: drops down or folds up for maximum access to the patient

Mattress: Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; foam rubber pad covered with seamless, durable Naugahyde®
Upholstery Color: Graphite

Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)

Trendelenburg: 0° to ±15°

Fowler Back: 0° to 80° infinitely adjustable

Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler back and auto level motions

Foot Control (optional): Activates height, Trendelenburg motions, and Fowler back

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor locking system

Patient Restraints: Two body straps

Finish: Powder coat

Patient Capacity: 500 lb (227 kg); weight tested to four times the patient load rating.

Weight: 335 lb (152 kg)

Power: 115 VAC or 230 VAC

Warranty: Two-year

Certifications: ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1-M90 and EN60601-1 standards.



058-700 Table, Echocardiography, Echo Pro, 115 VAC
Includes Hand Controller.
*All options available separately**

058-705 Table, Echocardiography, Echo Pro, 230 VAC
Includes Hand Controller.
*All options available separately**

Optional:

058-740 Foot Controller

058-632 Side Rails, Folding

058-735 Arm Board, Vascular Scanning

058-656 IV Pole

058-610 Dispenser, Paper

with Cutter Strap

058-640 Foot Support

Replacement:

056-612 Table Paper, Hygienic, 12 rolls
18" w x 225' l (46 cm x 69 m)

**Note: Options are installed by the customer.*
U.S. Patent No. 7,103,932 B1

Econo Echocardiography Table



SPECIFICATIONS:

Dimensions: 73" l x 30" w (185.4 x 76.2 cm);
35" w (88.9 cm) with optional side rails
Height Adjustable: 23" to 39" (58.4 to 99 cm)

Tabletop: Two primary sections: torso section: features sonographer and patient cutouts with Fowler back positioning, and lower body section remains fixed

Cardiac Scanning Cutout: with pivoting cushion that doubles as an armrest

Adjustable Sonographer Cutout: drops down or folds up for maximum access to the patient

Mattress: Torso section 2" (5 cm) thick, lower body section 3" (8 cm) thick; foam rubber pad covered with seamless, durable Naugahyde®
Upholstery Color: Graphite

Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)

Fowler Back: 0° to 80° infinitely adjustable

Controls:

Hand Control: Activates height, Fowler back and auto level motions

Wheels: 5" (12.7 cm) Individual locking swivel casters

Patient Restraints: Two body straps

Finish: Powder coat

Patient Capacity: 500 lb (227 kg); weight tested to four times the patient load rating.

Weight: 335 lb (152 kg)

Power: 115 VAC or 230 VAC

Warranty: Two years

Certifications: ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1-M90 and EN60601-1 standards.



058-701 Table, Echocardiography, Econo, 115 VAC
Includes Hand Controller.
*All options available separately**

058-706 Table, Echocardiography, Econo, 230 VAC
Includes Hand Controller.
*All options available separately**

Optional:

058-632 Side Rails, Folding

058-735 Arm Board, Vascular Scanning

058-656 IV Pole

058-610 Dispenser, Paper0
with Cutter Strap

Replacement:

056-612 Table Paper, Hygienic, 12 rolls
18" w x 225' l (46 cm x 69 m)

**Note: Options are installed by the customer.*
U.S. Patent No. 7,103,932 B1

Which table is right for you?

Ultra Pro Ultrasound Table



SPECIFICATIONS:

Dimensions: 70" l x 30" w (185.4 x 76.2 cm);
35" w (88.9 cm) with side rails;
Drop-Down Leg Section: 12.6" l (32 cm)
Height Adjustable: 23" to 39" (58.4 to 99 cm)

Tabletop: Three primary sections: torso section with Fowler back positioning, center section remains fixed and leg section drops down to 40° and 80° for stirrup access

Mattress: Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; foam rubber pad covered with seamless, durable Naugahyde®
Upholstery Color: Graphite

Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)
Trendelenburg: 0° to ±15°
Fowler Back: 0° to 80° infinitely adjustable

Controls:

Hand Control: Activates height, Trendelenburg motions, Fowler back and auto level motions
Foot Control (optional): Activates height, Trendelenburg motions, and Fowler back

Wheels: 5" (12.7 cm) Individual locking swivel casters; central floor locking system

Patient Restraints: Two body straps

Finish: Powder coat

Patient Capacity: 500 lb (227 kg); weight tested to four times the patient load rating.

Weight: 335 lb (152 kg)

Power: 115 VAC or 230 VAC

Warranty: Two-year

Certifications: ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1-M90 and EN 60601-1 standards.



058-720 Table, Ultrasound, Ultra Pro, 115 VAC
Includes Hand Controller.

*All options available separately**

058-725 Table, Ultrasound, Ultra Pro, 230 VAC
Includes Hand Controller.
*All options available separately**

Optional:

058-740 Foot Controller
058-632 Side Rails, Folding
058-651 Stirrups, Retractable
058-735 Arm Board, Vascular Scanning
058-656 IV Pole
058-610 Dispenser, Paper
with Cutter Strap

Replacement:

056-612 Table Paper, Hygienic, 12 rolls
18" w x 225' l (46 cm x 69 m)

**Note: Options are installed by the customer.*

Econo Ultrasound Table



SPECIFICATIONS:

Dimensions: 70" l x 30" w (185.4 x 76.2 cm);
35" w (88.9 cm) with side rails
Drop-Down Leg Section: 12.6" l (32 cm)
Height Adjustable: 23" to 39" (58.4 to 99 cm)

Tabletop: Three primary sections: torso section with Fowler back positioning, center section remains fixed and leg section drops down to 40° and 80° for stirrup access

Mattress: Torso section 2" (5 cm) thick, center and leg sections 3" (8 cm) thick; foam rubber pad covered with seamless, durable Naugahyde®
Upholstery Color: Graphite

Motions:

Height Adjustable: 23" to 39" (58.4 to 99 cm)
Fowler Back: 0° to 80° infinitely adjustable

Controls:

Hand Control: Activates height, Fowler back
Wheels: 5" (12.7 cm) Individual locking swivel casters

Patient Restraints: Two body straps

Finish: Powder coat

Patient Capacity: 500 lb (227 kg); weight tested to four times the patient load rating.

Weight: 335 lb (152 kg)

Power: 115 VAC or 230 VAC

Warranty: Two years

Certifications: ETL and cETL Listed to UL60601-1 and CAN/CSA C22.2 No. 601.1-M90 and EN 60601-1 standards.



058-726 Table, Ultrasound, Econo, 115 VAC
Includes Hand Controller.

*All options available separately**

058-727 Table, Ultrasound, Econo, 230 VAC
Includes Hand Controller.
*All options available separately**

Optional:

058-632 Side Rails, Folding
058-651 Stirrups, Retractable
058-735 Arm Board, Vascular Scanning
058-656 IV Pole
058-610 Dispenser, Paper
with Cutter Strap

Replacement:

056-612 Table Paper, Hygienic, 12 rolls
18" w x 225' l (46 cm x 69 m)

**Note: Options are installed by the customer.*

The Table Adjusts... ...not you, not the patient.

Biodex Ultrasound Tables are "Sonographer Friendly". They allow the sonographer to adjust the table to ergonomically correct positions, thus avoiding sonographer pain or injury.

Biodex tables can shorten exam time and improve results.

Whether you are looking for an ultrasound table for OB/GYN, echocardiography or vascular applications, Biodex is the answer.

Biodex Medical Imaging Tables are engineered and manufactured to only one level of quality... the best. Dependability and exceptional performance allow you to forget about the product and focus on the patient - that's your "Clinical Advantage." Combine that with competitive prices to make Biodex the obvious choice.

These products are available through:

JRT Associates

5 Nepperhan Avenue, Suite 2B
Elmsford, NY 10523
800-221-0111