

LEAD-LINED DECAY AND STORAGE CABINET



The Decay and Storage Cabinet performs two functions. Radioisotopes can be safely stored in drawers, while the cupboard section is for the storage of decaying material.

Drawers are easily removed for cleaning and decontamination. The decay section includes two heavy duty adjustable shelves.

SPECIFICATIONS:

Dimensions: 36.5" w x 24" depth x 36.5" h (92.7 x 61 x 92.7 cm)

Lead Shielding: .25" (.64 cm), .5" (1.3 cm) or 1" (2.5 cm) thick on all six sides

Drawer Dimensions: I.D.: 6" w x 11.88" depth x 4.5" h (15.2 x 30.2 x 11.4 cm)

Shelf Dimensions: 22" w x 18" depth (55.9 x 45.7 cm)

Door and Drawers: Key-locked

Countertop: Stainless steel with 4" backsplash and .5" spillproof lip

Finish: Powder coat

Weight:

244-160: 1103 lb (501.4 kg)

244-161: 1421 lb (645 kg)

244-162: 2500 lb (1134 kg)

244-160 Cabinet, Decay and Storage, .25" lead

244-161 Cabinet, Decay and Storage, .5" lead

244-162 Cabinet, Decay and Storage, 1" lead

LEAD-LINED WASTE CABINET



The Waste Cabinet is designed for storing "non-sharps" radioactive waste. A spacious chute with shielded cover allows waste to be dropped directly into a polyethylene container prior to decay and disposal.

SPECIFICATIONS:

Dimensions: 30.5" w x 24" depth x 36.5" h (77.5 x 61 x 92.7 cm)

Lead Shielding: .25" (.64 cm), .5" (1.3 cm) or 1" (2.5 cm) thick on all six sides

Chute: 6.5" dia (16.5 cm) with .5" thick (1.3 cm) lead shielded cover

Container: 22" h x 17" dia (56 x 43 cm) polyethylene, 12 gal capacity

Door: Key-locked

Countertop: Stainless steel with 4" backsplash and .5" spillproof lip

Finish: Powder coat

Weight:

244-150: 913 lb (415 kg)

244-151: 1282 lb (583 kg)

244-152: 2290 lb (1039 kg)

244-150 Cabinet, Waste, .25" lead

244-151 Cabinet, Waste, .5" lead

244-152 Cabinet, Waste, 1" lead

Note: Reverse door swing available.

Call for quote.